EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	167885	(power-down or powering-down or power down or power-down or powering off or powering-off or power-off or power off or stand-by or standby)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 13:59
L17	17526	(interrupt$3 or request$3) near2 external	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 13:50
L18	2530	l16 and l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 13:50
L19	390	l16 same l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 13:50
L20	12	l19 same (notification or notif$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 13:51
L21	394403	(power-down or powering-down or power down or power-down or powering off or powering-off or power-off or power off or stand-by or standby or shut$4-off or shut$4 off)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 15:35
L22	2863	l21 and l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:00
L23	10258	internal power (suppl$3 or sourc$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:01
L24	83	l23 and l22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:01

L25	652	l23 same l21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:01
L26	2	l25 same l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:03
L27	17	l25 and l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:16
L28	15	l27 and external power supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:17
L29	83	l21 and l23 and l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:44
L30	66	l29 not l27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:44
L31	5	l21 same (allow$3 or permit$4 or inhibit$3) l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 14:46
L32	417	l21 same l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 16:19
L33	61	l32 and high impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 15:35
L34	29	l32 and high impedance same (tri-state or tristate or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/03/15 15:47

L35	1	l32 same resistor$2 same bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 15:48
L36	7	l32 same resistor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 15:48
L37	3	l32 and resistor$2 same bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 15:48
L38	0	bypass resistor$2 near4 (irq or interrupt$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 15:56
L39	0	bypass resistor$2 near4 (request$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 15:56
L40	95	bypass resistor$2 near4 (signal$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 15:57
L41	3	bypass resistor$2 near4 (signal$2) same (interrupt$3 or request$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 15:56
L42	18	l32 and (rectify or rectifier or rectifying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:06
L43	2244	(ectify or rectifier or rectifying) with bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:06
L44	2283	(rectify or rectifier or rectifying) with bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:10

L45	417	(rectify or rectifier or rectifying) with bypass$3 with (interrupt$3 or request$3 or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:07
L46	42	l45 and l21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:08
L47	2637	resistor with bypass$3 with (interrupt$3 or request$3 or signal$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:11
L48	265	l21 and l47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:14
L49	1	l32 and l47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:14
L50	1	l21 same l17 same bypass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:17
L51	1	l21 same l17 same bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:17
L52	50	l21 same l17 and bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:17
L53	86	l21 same l17 and resistor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:17
L54	7	l21 same l17 same resistor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:17

L55	3	l32 and bypass with capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:19
L56	3	l32 and bypass$3 with capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 16:19
S1	2	("20040169199").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/03/14 13:06
S2	96302	semiconductor integrated circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:06
S3	3779	internal power source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:06
S4	36	i/o power source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:10
S5	1	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:10
S6	292	voltage shift$2 circuit$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:11
S7	700	voltage level shift$2 circuit$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:11
S8	13953	tri-state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:31

S9	1491	bypass resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:56
S10	5	bypass resistor and "710"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:35
S11	3	connected through bypass resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:36
S12	77	bypass resistor same power source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:42
S13	8	bypass resistor with uses	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:46
S14	3333	external interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:13
S15	1393	internal interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:46
S16	633	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:53
S17	6	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:54
S18	5950	(tri-state or tristate) buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:54

S19	4	S18 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:54
S20	9811	resistor near5 bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:56
S21	24	S20 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:56
S22	23	S21 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:58
S23	16965	oring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 13:58
S24	349	oring near2 input$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:02
S25	31261	(oring or ("or" near2 operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:01
S26	101	S16 and oring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:18
S27	20	(external or internal) interrupt factor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:11
S28	0	S27 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:11

S29	166	oring with interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:14
S30	39	S29 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:12
S31	0	external interrupt$2 with oring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 18:25
S32	0	internal interrupt$2 with oring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:13
S33	7	S18 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:23
S34	352	i/o (power source or power supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:26
S35	2	("5649213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/03/14 14:59
S36	298702	power consumption	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:36
S37	222	S7 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:43
S38	0	S37 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:43

S39	3	S37 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:45
S40	0	S37 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:46
S41	14	S37 and interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 14:46
S42	154	(power down mode).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 15:46
S43	1	(power down mode).ti. and kazuya.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 15:02
S44	3537	(oring or "or") with interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 15:03
S45	166	(oring) with interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:58
S46	0	(power down mode).ti. and breaking mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 15:26
S47	61	(power down mode).ti. and power (supply or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 15:28
S48	0	S42 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 15:28

S49	34	S42 and (interrupt$2 or request$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 15:49
S50	1	S42 and bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 16:53
S51	2981	i/o near5 (power (supply$3 or source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 16:53
S52	1181	i/o near2 (power (supply$3 or source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 16:53
S53	261148	rectifier or rectifying	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 16:54
S54	122	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:03
S55	0	S42 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 16:54
S56	6010	(tri-state or tristate) buffer$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 16:55
S57	1	S54 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 16:55
S58	352	i/o power (supply or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:21

S59	22740	(internal or system) near1 power (source or supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:05
S60	96	S58 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:54
S61	64	S60 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:55
S62	98	kernahan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:30
S63	49	S60 not S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:33
S64	28	S63 and power$3 near4 down	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:33
S65	66	S60 and (request$3 or interrupt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:50
S66	19	S65 not S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:52
S67	0	S60 and (oring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 17:54
S68	11	710/260-269.ccls. and (rectifier$2 or rectify$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 18:28

S69	3628	(rectifier$2 or rectify$3) with (request$2 or interrupt$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 18:31
S70	1	S7 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/14 18:31
S71	38	S69 and (voltage near3 switch$3 near4 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 08:56
S72	25834	(power$3 down or power$3-down)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 08:57
S73	3144	(power$3 down or power$3-down) with (power source$2 or power supply$2 or supply)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 08:58
S74	250	(power$3 down or power$3-down) with (power source$2 or power supply$2 or supply) same (interrupt$2 or request$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 08:59
S75	15	(power$3 down or power$3-down) with (power source$2 or power supply$2 or supply) same (interrupt$2 or request$2) and (seperate or multiple or two) near2 (power-suppl$4 or power suppl$3 or power source$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 09:20
S76	1393	internal interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 09:22
S77	1953	oring near4 (signal$2 or request$2 or interrupt$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 09:23
S78	51	S76 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 09:32

EAST Search History

S79	1462	resistor$2 near5 bypass$2 with (interrupt$2 or request$2 or signal$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 09:32
S80	228	bypass resistor$2 with (interrupt$2 or request$2 or signal$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 09:39
S81	366	bypass resistor$2 with (interrupt$2 or request$2 or signal$2 or output$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 09:43
S82	51563	(power-down or power$3 down or shut-off or shut$4 off) with (supply or power-supply or source or power-source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 09:44
S83	9	S81 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:02
S84	170	710/260-269.ccls. and bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:02
S85	63	710/260-269.ccls. and bypass$3 with interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:03
S86	0	710/260-269.ccls. and bypass$3 with interrupt$2 with resistor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:03
S87	63	710/260-269.ccls. and bypass$3 with interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:07
S88	0	710/260-269.ccls. and bypass$3 with interrupt$2 same resistor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:07

EAST Search History

S89	5	710/260-269.ccls. and bypass$3 with interrupt$2 and resistor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:08
S90	0	710/260-269.ccls. and bypass$3 with resistor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:08
S91	38	"710"/$.ccls. and bypass$3 with resistor$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:10
S92	5334	resistor$2 near2 bypass$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:14
S93	13	resistor$2 near2 bypass$2 with interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:14
S94	780	resistor$2 near2 bypass$2 with (signal$2 or request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:15
S95	12	resistor$2 near2 bypass$2 with (signal$2 or request) same interrupt$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:15
S96	352	i/o power (supply or source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:22
S97	5	i/o power (supply or source) same (standby or power-down or power down)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:40
S98	12902	i/o near4 (interrupt$2 or request$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:41

EAST Search History

S99	355223	(standby or power$3 down or shut-off or shut$4 off or power$3-down)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:41
S100	1615	S98 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:41
S101	9780	i/o near2 (interrupt$2 or request$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:42
S102	1218	S99 and S101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:43
S103	130	S99 same S101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:43
S104	15	S99 same S101 and bypass$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:45
S105	203	(tri-state or tristate) buffer$2 with (interrupt$2 or request$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:46
S106	27	(tri-state or tristate) buffer$2 with (interrupt$2 or request$2) same impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:48
S107	5	(tri-state or tristate) buffer$2 with (interrupt$2 or request$2) same impedance same (power or supply or source or standby)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:56
S108	26	oring (request$2 or interrupt$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2006/03/15 10:57